























## References

1. W.A. Fisher, D. Janke: "*Metallurgische Elektrochemie*" Springer-Verlag Berlin (1975); R.A. Rapp, and D.A. Shores, "Physicochemical Measurements in Metals Research Part 2, Chap. 6c, *Electrochemical Measurements*, C. Solid Electrolyte Galvanic Cells, pp. 123; E.C. Subbarao: "*Solid Electrolyte and Their Applications*" Plenum Press, New York, 1980 etc.
2. K. Kiukkola and C. Wagner: *J. Electrochem. Soc.*, 108 (1957), 379.
3. R.A. Rapp and F. Maak: *Acta Met.*, 10 (1962), 63.
4. I. Katayama, T. Inomoto, Z. Kozuka, and T. Iida: *Mater. Trans. JIM*, 32 (1991), 169-173; I. Katayama, T. Inomoto, Y. Kuwaki, Z. Kozuka, and T. Iida: *Netsu Sokutei*, 18 (1991), 53-57; I. Katayama, K. Maki, Y. Fukuda, A. Ebara and T. Iida: *Mater. Trans. JIM*, 38 (1997), 119-122.
5. L. Kaufman and H. Bernstein: "Computer Calculation of Phase Diagram", *Academic Press* (1970), 229.
6. L.A. Zabdyr, *J. Electrochem. Soc.*, 131 (1984), 2157-2160.
7. L. V. Goncharuk, G. M. Lukashenko, L. D. Budennaya, I. V. Dubrobin: *Ukr. Khim. Zh.* 57 (1991), 911-914; *Zh. Fiz. Khim.*, 64 (1990), 1954-7.
8. T. K. S. Gupta, A. Nasar, M. Shamsuddin, P. Ramachandrarao: *Thermochim. Acta*, 247 (1994), 415-429.
9. A. S. Alikhanian, V. N. Guskov, A. M. Natarovsky, J. H. Greebberg, M. Fiederle, K. W. Benz: *J. Cryst. Growth*, 240 (2002), 73-79.